**Standards:**

Comply with ETSI Standards (European Telecommunication Standard Institute).

Features:

- ▶ Flexible Design with precise dimension for all Telecommunication applications.
- ▶ Meeting requirements of under-Base Cable entry ventilation and prevention.
- ▶ Can be equipped with Mounting Angles in both Designs 19" and Metric Holes Standards.
- ▶ Mounting Angles are Full Height and can be adjusted in the Depth.
- ▶ If required, additional Mounting Angles can be also added at the rear.
- ▶ ETSI Rack is offered with Standard Dimensions of the Rack : 600 Width x 300 Depth .
- ▶ Easy removable Side Doors for better Cable accessibility .
- ▶ Side Doors equipped with Dual Locks.

Loading Capacity:


Static Loading: 500 Kg

Material:

Cold Rolled Steel 2.0 mm for main frame and 1.2 mm for others

Surface Finish:

Power coated with different RAL Color



STANDARD SIZE AVAILABILITY:

Cabinet Sizes	Height "H" (mm)	Model No.
21U	1028	ETSI-21-XX-X
24U	1161	ETSI-24-XX-X
27U	1294	ETSI-27-XX-X
36U	1694	ETSI-36-XX-X
42U	1960	ETSI-42-XX-X
47U	2183	ETSI-47-XX-X

Basic Configuration of Rack:

Rigid Main Frame, Spray finished in any RAL	<input type="radio"/>
1 Front door made from steel with security lock	<input type="radio"/>
1 Back door made from steel with security lock	<input type="radio"/>
2 Side panels with Plastic Latches	<input type="radio"/>
2 Pair of 19" mounting angles, mounted front and can be adjusted on any depth as required	<input type="radio"/>
1 Solid roof plate with Knockout Holes for easy cable access	<input type="radio"/>
1 Solid Base plate including gland plates for cable entry	<input type="radio"/>

ETSI Rack is offered in the following Model		
ETSI-XX-0A.X	Front Door	Front Door is not provided
	Back Door	Back Door is not provided
	Top Plate	Solid Plate with Knockout Holes
	Bottom Plate	Solid Plate with Knockout Holes
ETSI-XX-0B.X	Front Door	Solid steel door
	Back Door	Solid steel door
	Top Plate	Solid Plate with Knockout Holes
	Bottom Plate	Solid Plate with Knockout Holes
ETSI-XX-0D.X	Front Door	Fully Perforated Door
	Back Door	Fully Perforated Door
	Top Plate	Solid Plate with Knockout Holes
	Bottom Plate	Solid Plate with Knockout Holes
ETSI-XX-0E.X	Front Door	Fully Perforated Door
	Back Door	Solid steel Door with Bottom Perforated Holes
	Top Plate	Solid Plate with Knockout cable inlet hole
	Bottom Plate	Solid Plate with Knockout Holes
ETSI-XX-0H.X	Front Door	Solid steel Door with Bottom Perforated Holes
	Back Door	Solid steel Door with Bottom Perforated Holes
	Top Plate	Solid Plate with Knockout holes
	Bottom Plate	Solid Plate with Knockout holes

Surface finish available colors		
Model No.	Color Codes	Samples
ETSI-XX-XX.0	Light Gray Color RAL 7035	
ETSI-XX-XX.1	Dark Gray Color RAL 7044	
ETSI-XX-XX.2	Black Color RAL 9005	

